LIMCs. RTI is one of the leading causes of fatal and non-fatal in Bangladesh.

Methods The nationwide a cross sectional survey was conducted between March-June 2016 using a pretested semi-structured questionnaire. Multistage cluster sampling method considering probability-proportional-to-size strategy was used in the surveys to obtain the desired sample. Verbal autopsy method was used to ascertain the cause of death.

Result The mortality and morbidity rates due to RTI were 14.37(95%CI;10.67–19.35) and 2164.32(95%CI;2113.00–2217.00) per 100,000 per year respectively. The highest incidence rate of fatal was recorded as 21.89(95%CI;09.35–51.25) along with the age group ≥ 60 years and the highest incidence of non-fatal was recorded as 2702.51 (95% CI;2618–2789) along with the age group from 25 to 59 years. The fatal and non-fatal rates were significantly higher among males 22.79(16.32–31.85) compare to females 6.03 (3.17–11.47) and urban 16.00(9.99–25.63) compare to rural areas 13.47(09.19–19.74). The highest rate of fatal and non-fatal injury occurred in day time between 9.00am-12:00pm and 12.0pm-15.00pm respectively. Usage of seatbelts was 2.1% among the drivers and only 28% motorcyclists used helmets. Talking with mobile phone was 4.50% and drug addicted was 3.8% among driver and motorcyclist at the time of accident.

Conclusion The magnitude of fatal and non-fatal RTIs was remarkably high in Bangladesh. People aged 25 to 60 years were the most vulnerable group.

Learning Outcome A country-specific strategy and interventions are needed to reduce road traffic injury burden in Bangladesh.

3A.002 RAPID ASSESSMENT OF VULNERABILITY OF PHILIPPINE LOCAL GOVERNMENTS TO ROAD CRASH

¹Engr. Ray Adrian Macalalag*, May Ann Sta. Lucia2. ¹Department of Public Works and Highways, Iloilo City, Philippines; ²Department of Health, Iloilo City, Philippines

10.1136/injuryprev-2021-safety.63

Road safety has long been a worldwide challenge. In fact, the World Health Organization (WHO) has noted a 1.25-million death toll in 2010 or one person losing his life every 25 seconds which prompted them to raise awareness in road safety by declaring 2010–2020 as the Decade of Action for Road Safety. In the Philippines, 10,379 deaths were recorded in WHO's latest World Status Report in Global Road Safety in 2015 with the low-income group dominating its number. With regards to national policies, the Department of Transportation Road Safety Management group are implementing the speed limit law, motorcycle helmet law, drug-driving law, drink-driving law, seatbelt law, and mobile phones while driving law.

With Western Visayas in focus, the program looks into three factors namely, number of fatal and injury-resulting road crashes, national primary and secondary road density, as well as review of the said laws. It aims to determine and classify high risk cities and municipalities in Western Visayas through a tool called locational vulnerability score (LoVS). The tool will be applicable to all cities and municipalities in the Philippines provided initial data is provided to which local governments can use to assess their programs toward eradicating cases of road crashes.

3A.003 ROAD TRAFFIC AND DROWNING MORTALITY IN AN AFRICAN COUNTRY: A 30-YEAR PERIOD

¹Anne Abio*, ^{2,3}Pascal Bovet, ³Joachim Didon, ⁴Till Bärnighausen, ¹Masood Ali Shaikh, ⁵Jussi P Posti, ^{1,4}Michael Lowery Wilson. ¹Injury Epidemiology and Prevention Research Group, Turku Brain Injury Centre, Division of Clinical Neurosciences, Turku University Hospital and University of Turku, Finland; ²Institute of Social and Preventive Medicine (IUMSP), Lausanne University Hospital, Lausanne, Switzerland; ³Ministry of Health, Seychelles; ⁴Injury Epidemiology and Prevention Unit, Heidelberg Institute of Global Health, University of Heidelberg, Heidelberg, Germany; ⁵Department of Neurosurgery and Turku Brain Injury Centre, Division of Clinical Neurosciences, Turku University Hospital and University of Turku, Finland

10.1136/injuryprev-2021-safety.64

Background Road traffic crashes and drowning are among the leading causes of injury mortality among youth, especially in low- and middle-income countries. The aim of this population-based study was to examine trends in road traffic and drowning related mortality from 1989 to 2018 in Seychelles.

Methodology The population civil death register was used to identify cases. Coding was done according to the ICD-10 codes for external causes of mortality. Mortality rates were estimated using the crude and age standardised rates. The WHO standard population was used to standardise the rates. Negative binomial regression was used to estimate the trends and annual percent changes over time.

Results Drowning and road traffic injuries accounted for approximately 21.9% and 17.5% of all injury-related deaths. Males had a higher risk both for drowning (RR 6.14, 95% CI 3.92, 9.62; $p < 0.001$) and road traffic injury mortality (RR 2.25, 95% CI 1.43, 3.53; $p < 0.001$). The drowning age standardised mortality rate was 25.9 per 100000 person-years, and road traffic mortality was 18.0 per 100000 person-years among males; and correspondingly 3.4 per 100000 and 4.6 per 100000 person-years among females, respectively. The drowning mortality increased by less than 0.01%, while the road traffic mortality increased by 2.7% among males.

Conclusion The major cause of mortality was drowning. However, the annual increase in the road traffic mortality was higher during the 30-year period.

Learning outcome Policies to reduce the road traffic crashes need to be actively implemented to reduce related mortality in order to achieve the SDG target.

3A.004 INTERNET-BASED TEXTUAL BIG DATA AND ROAD TRAFFIC INJURIES

¹Peixia Cheng*, ²Jianxin Wang, ¹Wangxin Xiao, ³David Schwebel, ¹Peishan Ning, ⁴Yue Wu, ¹Guoqing Hu. ¹Department of Epidemiology and Health Statistics, Xiangya School of Public Health, Central South University, Changsha, China; ²School of Computer Science and Engineering, Central South University, Changsha, China; ³Department of Psychology, University of Alabama at Birmingham, Birmingham, USA; ⁴Department of Environmental and Occupational Health, Xiangya School of Public Health, Central South University, Changsha, China

10.1136/injuryprev-2021-safety.65

Background Internet-based big data may offer important and timely information concerning road traffic injury data, supplementing official government statistics. We developed computer-based approaches to define, extract and automatically collect internet-based Chinese language big data on road traffic injuries.